



M*CARBO AR-15 Extra Power Mag Springs



Download or Print Instructions | Contact: help@mcarbo.com | Page 1

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.




Step 1: Clear your Firearm - Check the Chamber, Bolt Face and Magazine Well.

Step 2: Gather Parts and Tools needed for Installation.



1. M-CARBO AR-15 Extra Power Magazine Spring
2. 1/8" Punch
3. Eye Protection

Step 3: Insert your Punch into the Hole on the Floor-Plate of your Magazine.



Step 4: Pull Up and Out to Remove the Plate and Release the Factory Magazine Spring.





M*CARBO AR-15 Extra Power Mag Springs



Download or Print Instructions | Contact: help@mcarbo.com | Page 2

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.



Step 5: Remove the Magazine Spring and Follower.



Step 7: Install the New M*CARBO Mag Spring onto the Follower



Step 6: Use your Punch to help Remove the Factory Spring from the Follower.



Step 8: Reinsert the Follower and Mag Spring into the Magazine from the Bottom





M*CARBO AR-15 Extra Power Mag Springs



Download or Print Instructions | Contact: help@mcargo.com | Page 3

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.



Step 9: Compress the Mag Spring into the Magazine and Reattach the Floor Plate.



Step 10: Make sure the Tabs on the Floor Plate are Secure.
You're Good to Go!

