



# M\*CARBO CZ 75 Floating Trigger Pin

Download or Print Instructions | Contact: [help@mcarbo.com](mailto:help@mcarbo.com) | Page 1




You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 1: Clear your Firearm - Check the chamber, bolt face and magazine well.



1. CZ 75 Floating Trigger Pin
2. 1/16" 3/32" and 1/8" Punches
3. Hammer
4. Bench Block
5. Micro-Tip Flathead Screwdriver
6. Eye Protection

Step 2: Gather parts and tools needed for Installation.



Step 3: Line up the two Notches Near the Back of the Slide.



Step 4: Push the Nub on the Other Side of the Frame Down on your Bench Block.





# M\*CARBO CZ 75 Floating Trigger Pin

Download or Print Instructions | Contact: [help@mcarbo.com](mailto:help@mcarbo.com) | Page 2




M\*CARBO  
INTEGRITY + ACCURACY + BROUWERHOOD

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 5: Still Pushing Down on the Nub, Use your Micro-Tip to Pry Off the Takedown Lever.




Step 6: Pull the Slide off of the Frame.



Step 7: Open up your M\*CARBO Floating Trigger Pin.



Step 8: Identify the Flared End of the Factory Trigger Pin (Will Most likely be the Left Side of the Frame).





# M\*CARBO CZ 75 Floating Trigger Pin

Download or Print Instructions | Contact: [help@mcarbo.com](mailto:help@mcarbo.com) | Page 3




M\*CARBO  
INTEGRITY • ACCURACY • PRECISION

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 9: Get the Pin Positioned so it will Enter through the NOT FLARED Side.



Step 10: Tap the Pin through with your Hammer. The New Trigger Pin should Push out the old one.



Step 11: Use your 1/8" Punch to Push the New Pin the Rest of the way through. You should Hear a Snap.



Step 12: Reattach the Slide to the Frame.





# M\*CARBO CZ 75 Floating Trigger Pin

Download or Print Instructions | Contact: [help@mcarbo.com](mailto:help@mcarbo.com) | Page 4



M\*CARBO  
INTEGRITY + PRECISION + PROTECTIVEHOOD

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 13: Realign the Two Notches on the Back of the Slide and hold it in place. Grab your Takedown Lever.



Step 14: Insert the Takedown Lever and Snap it into place. Let your Slide Forward and that's it!



Step 15: Perform a Function Check. Make sure your Slide Stop and Safety work. Pull the Trigger and listen for the Trigger Reset.



Step 16: You're all set! Happy Shooting!

