



M*CARBO Ruger LCP/LCP 2 Takedown Pin

Download or Print Instructions | Contact: help@mcarbo.com | Page 1



You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 1: Let's grab all the tools we'll need for this build



Step 2: Now we're going to check the firearm to make sure it's clear. Check the chamber, the Bolt Face and Magazine well.



Items in order from left to right:

- (1) **Ruger LCP/LCP II - A311 Carbon Steel Takedown Pin**
- (1) **Hammer**
- (1) **1/8 inch Punch**
- (1) **Bench Block**
- (1) **Needle Nose Pliers**
- (1) **Microtip Flathead Screwdriver**
- (1) **Eye-Pro**





M*CARBO Ruger LCP/LCP 2 Takedown Pin



Download or Print Instructions | Contact: help@mcargo.com | Page 2

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.



Step 3: We start the disassembly by removing the factory takedown pin. With the micro tip you just pop it right out.



Step 4: Slide off the slide to the side (can you say it twice as fast) Because, now we're going to focus on installing that new custom takedown pin spring.



Step 5: Remove the tension on the hammer spring.



Step 6: First push in on that little tab on the hammer seat and it'll come right out. After the hammer seat is out just set it down to the side.





M*CARBO Ruger LCP/LCP 2 Takedown Pin

Download or Print Instructions | Contact: help@mcarbo.com | Page 3



M*CARBO
INTEGRITY • PRECISION • BROUWERHOOD

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 7: Next we'll remove the hammer seat pin grab the needle nose and just pull up and out on the hammer seat pin. Then, set it aside.



Step 8: Now we need to tap out the two highlighted pins. So, place the gun frame on the bench block and grab your 1/8 inch punch and your hammer.



Step 9: Now we're going to separate the aluminum frame.



Step 10: Take your flat-tip screwdriver and pry away the polymer from the aluminum. Take your punch and pry up.





M*CARBO Ruger LCP/LCP 2 Takedown Pin

Download or Print Instructions | Contact: help@mcarbo.com | Page 4



You must be 18 years of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.


Step 11: The trigger return spring might pop off if it does just wind it back counterclockwise.

Step 12: So, now we're going to replace this takedown spring with a different type of spring. Just simply pop this spring out with the flathead screwdriver then set to the side.



Step 13: Now you'll open your Ruger LCP/LCP 2 Heavy Duty Takedown Pin Trigger Spring Kit.

Step 14: Make sure slide stops in place and make sure the hole is over that pin. Now we'll drop the takedown pin spring in that little pocket that the other one was in.



Custom Locking Takedown Pin Spring

A311 Stressproof Carbon Steel Pin





M*CARBO Ruger LCP/LCP 2 Takedown Pin

Download or Print Instructions | Contact: help@mcarbo.com | Page 5



M*CARBO
MULTIPLYER + GEARER + BROUPEERHOOD

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 15: To make sure it's completely seated gently press it down with the flathead screwdriver. After its in a good position just pinch it all together.




Step 16: Now we're going to drop it all back into the polymer frame.



Step 17: Slides right in! Get it to where it nosedives in the front. Pinch everything together again.



Step 18: Now we're going to push that sear forward all the way as we compress the aluminum frame. Get it to snap in place.





M*CARBO Ruger LCP/LCP 2 Takedown Pin

Download or Print Instructions | Contact: help@mcargo.com | Page 6



M*CARBO
INTEGRITY + PRECISION + PROUDLY ENGINEERED

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 19: Once you flip it over you should be able to see that sear down there forward of the hammer.



Step 20: So now we're going to go ahead and put the pins back in on the frame.



Step 21: start with the forward pin it's a smooth one all the way around. Drops in the front.



Step 22: Tap the pin right in with your hammer





M*CARBO Ruger LCP/LCP 2 Takedown Pin


Download or Print Instructions | Contact: help@mcarbo.com | Page 7

You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.



M*CARBO
MULTI-CARBON • GUN-ESSENTIALS • GUN-UPPERECHOOD

Step 23: Now we're going to take our rear pin that's the one with the notch in the middle.



Step 25: Just make sure the pins are evenly recessed by giving them a tap or two with your punch.



Step 24: You can compress the aluminum frame and polymer together to make sure the holes are lined up.



Step 26: Now we're going to set tension on the hammer spring. By taking the hammer seat pin and dropping it in.





M*CARBO Ruger LCP/LCP 2 Takedown Pin

Download or Print Instructions | Contact: help@mcarbo.com | Page 8




You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 27: The little end with the one notch will be on the left-hand side same side as the mag release. Get to locating those little pockets on either side.



Step 28: Now we're going to grab our needle nose pliers and pull up on that hook on the hammer spring. Get it to locate on that single notch on the end.

Hammer Spring Hook



Step 29: Now we're going to take our hammer seat cover and drop it right in. It locates and snaps in this little pocket.



Step 30: Now we're going to put our slide back on make sure that the slide is all the way on the barrels flush. Also, check to see if the lugs inside are lined up with the hole





M*CARBO Ruger LCP/LCP 2 Takedown Pin

Download or Print Instructions | Contact: help@mcarbo.com | Page 9



You must be 18 yrs of age to purchase. We advise that all parts purchased from our inventory be installed and inspected by a qualified gunsmith. Modifying your weapon may be prohibited in your state. Do not modify your sear or hammer engagement surfaces. Before installing please be sure to check all local state and federal laws. By installing this part you agree to take full responsibility for any and all legal, health and warranty consequences that may be incurred.

Step 31: Now we're going to drop the takedown pin in there. Make sure when placing pin in that the notch is facing up



Step 32: Now we'll grab our flathead screwdriver to screw the pin securely. Turn it and you're gonna pop through til it locks in place



Step 33: Make sure that this little dimple is facing down to be sure to be locked in



Step 34: Thank you Mcarbo Brotherhood and Happy Shooting!

